

References

1. Lazarus JV, Ratzan SC, Palayew A, et al. A global survey of potential acceptance of a COVID-19 vaccine. *Nat Med*. 2021; 27:225-228. doi:[10.1038/s41591-020-1124-9](https://doi.org/10.1038/s41591-020-1124-9)
2. MacDonald NE; SAGE Working Group on Vaccine Hesitancy. Vaccine hesitancy: Definition, scope and determinants. *Vaccine*. 2015;33:4161-4164. doi:[10.1016/j.vaccine.2015.04.036](https://doi.org/10.1016/j.vaccine.2015.04.036)
3. Karafillakis E, Larson HJ; ADVANCE Consortium. The benefit of the doubt or doubts over benefits? A systematic literature review of perceived risks of vaccines in European populations. *Vaccine*. 2017; 35:4840-4850. doi: [10.1016/j.vaccine.2017.07.061](https://doi.org/10.1016/j.vaccine.2017.07.061)
4. Cobos Muñoz D, Monzón Llamas L, Bosch-Capblanch X. Exposing concerns about vaccination in low- and middle-income countries: A systematic review. *Int J Public Health*. 2015; 60: 767-780. doi:[10.1007/s00038-015-0715-6](https://doi.org/10.1007/s00038-015-0715-6)
5. Ministry of Health, Labour and Welfare of Japan. Healthy Japan 21(Physical activity and exercise). Kenko nippon 21 (Shintai katsudo undo). Report in Japanese. Ministry of Health, Labour and Welfare of Japan. Accessed August 26, 2021. https://www.mhlw.go.jp/www1/topics/kenko21_11/pdf/b2.pdf
6. Fillon M. Pairing smoking cessation with lung cancer screening may save lives. *CA Cancer J Clin*. 2021; 71(4): 283-284. doi: [10.3322/caac.21675](https://doi.org/10.3322/caac.21675)

7. Cadham CJ, Cao P, Jayasekera J, et al. Cost-effectiveness of smoking cessation interventions in the lung cancer screening setting: A simulation study. *J Natl Cancer Inst.* 2021; 113(8): 1065–1073. doi:[10.1093/jnci/djab002](https://doi.org/10.1093/jnci/djab002)
8. Cioffi WG Jr, Rue LW III. Diagnosis and treatment of inhalation injuries. *Crit Care Nurs Clin North Am.* 1991; 3(2): 191-198. doi: [10.1016/S0899-5885\(18\)30730-5](https://doi.org/10.1016/S0899-5885(18)30730-5)
9. Centers for Disease Control and Prevention. Guidance for institutions of higher education (IHEs). U.S. Department of Health and Human Services. Revised July 23, 2021. Accessed August 26, 2021. <https://www.cdc.gov/coronavirus/2019-ncov/community/colleges-universities/considerations.html>
10. Fisk G, Hammond-Haley M, D'Silva A. Energy drink-induced cardiomyopathy. *BMJ Case Rep.* 2021; 14(4): e239370. doi:[10.1136/bcr-2020-239370](https://doi.org/10.1136/bcr-2020-239370)
11. Gutiérrez-Hellín J, Varillas-Delgado D. Energy drinks and sports performance, cardiovascular risk, and genetic associations; future prospects. *Nutrients.* 2021; 13(3):715. doi: [10.3390/nu13030715](https://doi.org/10.3390/nu13030715)
12. Kamijo Y, Takai M, Fujita Y, Usui K. A retrospective study on the epidemiological and clinical features of emergency patients with large or massive consumption of caffeinated supplements or energy drinks in Japan. *Intern Med.* 2018; 57(15): 2141-2146. doi:[10.2169/internalmedicine.0333-17](https://doi.org/10.2169/internalmedicine.0333-17)

13. McKetin R, Coen A, Kaye S. A comprehensive review of the effects of mixing caffeinated energy drinks with alcohol. *Drug Alcohol Depend.* 2015; 151:15-30. doi: [10.1016/j.drugalcdep.2015.01.047](https://doi.org/10.1016/j.drugalcdep.2015.01.047)
14. Leal WE, Jackson DB. Energy drinks and escalation in drug use severity: An emergent hazard to adolescent health. *Prev Med.* 2018; 111:391-396. doi: [10.1016/j.ypmed.2017.11.033](https://doi.org/10.1016/j.ypmed.2017.11.033)
15. Terry-McElrath YM, O'Malley PM, Johnston LD. Energy drinks, soft drinks, and substance use among United States secondary school students. *J Addict Med.* 2014; 8(1):6-13. doi: [10.1097/01.ADM.0000435322.07020.53](https://doi.org/10.1097/01.ADM.0000435322.07020.53)
16. Svensson Å, Warne M, Gillander Gådin M. Longitudinal associations between energy drink consumption, health, and norm-breaking behavior among Swedish adolescents. *Front Public Health.* 2021; 9: 724. doi: [10.3389/fpubh.2021.597613](https://doi.org/10.3389/fpubh.2021.597613)
17. Utter J, Denny S, Teevale T, Sheridan J. Energy drink consumption among New Zealand adolescents: Associations with mental health, health risk behaviours and body size. *J Paediatr Child Health.* 2018; 54(3): 279-283. doi: [10.1111/jpc.13708](https://doi.org/10.1111/jpc.13708)
18. Bonar EE, Green MR, Ashrafioun L. Characteristics of university students who mix alcohol and energy drinks. *J Am Coll Health.* 2017;65(4):288-293. doi: [10.1080/07448481.2017.1280799](https://doi.org/10.1080/07448481.2017.1280799)

19. Petrelli F, Grappasonni I, Evangelista D, et al. Mental and physical effects of energy drinks consumption in an Italian young people group: A pilot study. *J Prev Med Hyg.* 2018; 59(1): E80. doi: [10.15167/2421-4248/jpmh2018.59.1.900](https://doi.org/10.15167/2421-4248/jpmh2018.59.1.900)
20. Richards G, Smith A. Caffeine consumption and self-assessed stress, anxiety, and depression in secondary school children. *J Psychopharmacol.* 2015; 19(12): 1236-1247. doi:[10.1177/02698811155612404](https://doi.org/10.1177/02698811155612404)
21. Kim H, Park J, Lee S, Lee SA, Park EC. Association between energy drink consumption, depression and suicide ideation in Korean adolescents. *Int J Soc Psychiatry.* 2020;66(4): 335-343. doi: [10.1177/0020764020907946](https://doi.org/10.1177/0020764020907946)
22. Masengo L, Sampasa-Kanyinga H, Chaput JP, Hamilton HA, Colman I. Energy drink consumption, psychological distress, and suicidality among middle and high school students. *J Affect Disord.* 2020; 268:102-108. doi:[10.1016/j.jad.2020.03.004](https://doi.org/10.1016/j.jad.2020.03.004)
23. Ahuja A, Safaya R, Prakash G, Kumar L, Shukla, NK. Primary mixed mullerian tumor of the vagina—a case report with review of the literature. *Pathol Res Pract.* 2011;207(4):253-255. doi:[10.1016/j.prp.2010.10.002](https://doi.org/10.1016/j.prp.2010.10.002)
24. Marchetti E, Krantz N, Berton C, et al. Component impingement in total hip arthroplasty: Frequency and risk factors. A continuous retrieval analysis series of 416 cup. *Orthop Traumatol Surg Res.* 2011;97(2):127–133. doi:[10.1016/j.otsr.2010.12.004](https://doi.org/10.1016/j.otsr.2010.12.004)

25. Lewinnek GE, Lewis JL, Tarr R, Compere CL, Zimmerman JR. Dislocations after total hip-replacement arthroplasties. *J Bone Joint Surg Am.* 1978; 60(2):217-220.
26. Ohtuka M, Chazono H, Suzuki H, et al. A differential diagnosis and treatment for calcific retropharyngeal: A report of eight cases. Sekkaichinchakuseikeichoukinen no hachi rei-sono kannbetsushindan to chiryo ni tsuite. Article in Japanese. *Nippon Jibiinkoka Gakkai Kaiho.* 2013;116: 1200-12007. doi:[10.3950/jibiinkoka.116.1200](https://doi.org/10.3950/jibiinkoka.116.1200)
27. Krauer F, Riesen M, Reveiz L, et al; WHO Zika Causality Working Group. Zika virus infection as a cause of congenital brain abnormalities and Guillain–Barré syndrome: Systematic review. *PLoS Med.* 2017; 14(1): e1002203. doi: [10.1371/journal.pmed.1002203](https://doi.org/10.1371/journal.pmed.1002203)
28. Dames S. *Root Strength: A Health and Care Professionals Guide to Minimizing Stress and Maximizing Thriving.* 1st ed. Elsevier, 2021.
29. Lloyd RV, Osamura RY, Kloppel G, Rosai J, eds. *WHO Classification of Tumours: Pathology and Genetics of Tumours of Endocrine Organs.* 4th ed. Vol. 10. International Agency for Research on Cancer (IARC); 2017.
30. The WHO Classification of Tumours Editorial Board, eds. *Thoracic Tumours: WHO Classification of Tumours.* 5th ed. International Agency for Research on Cancer (IARC);2021.
31. Alici Y, Modhwadia K, Breitbart WS. Psychosocial and psychiatric suffering. In Quill TE, Miller FG, eds. *Palliative Care and Ethics.* 1st ed. Oxford University Press; 2014: 136-161.

32. AMA Manual of Style Committee, eds. *AMA Manual of Style: A Guide for Authors and Editors*. 11th ed. Oxford University Press; 2020.

