

References

Alici, Y., Modhwadia, K., & Breitbart, W. S. (2014). Psychosocial and psychiatric suffering.

In T.E. Quill & F. G. Miller (Eds.), *Palliative care and ethics* (pp.136-161). Oxford University Press.

American Psychological Association. (2020). *Publication manual of the American*

Psychological Association (7th ed.). American Psychological Association.

<https://doi.org/10.1037/0000165-000>

Beck, C. T. (2021). Postpartum onset of panic disorder: A metaphor analysis. *Archives of*

Psychiatric Nursing, 35(4), 369-374. <https://doi.org/10.1016/j.apnu.2021.05.004>

Bonar, E. E., Green, M. R., & Ashrafioun, L. (2017). Characteristics of university students

who mix alcohol and energy drinks. *Journal of American College Health*, 65(4), 288-293. <https://doi.org/10.1080/07448481.2017.1280799>

Centers for Disease Control and Prevention. (2021, July 23). Considerations for institutions

of higher education. U.S. Department of Health and Human Services.

<https://www.cdc.gov/coronavirus/2019-ncov/community/colleges-universities/considerations.html>

Cioffi, W. G., Jr., & Rue, L. W., III. (1991). Diagnosis and treatment of inhalation injuries.

Critical Care Nursing Clinics of North America, 3(2), 191-198.

[https://doi.org/10.1016/S0899-5885\(18\)30730-5](https://doi.org/10.1016/S0899-5885(18)30730-5)

Dames, S. (2021). *Root strength: a health and care professionals guide to minimizing stress and maximizing thriving* (1st ed.). Elsevier.

Demir, N. B., Gul, S., & Çelik, M. (2021). A stochastic programming approach for chemotherapy appointment scheduling. *Naval Research Logistics*, 68, 112-133.

<https://doi.org/10.1002/nav.21952>

Fisk, G., Hammond-Haley, M., & D'Silva, A. (2021). Energy drink-induced cardiomyopathy.

BMJ Case Reports, 14(4), e239370. <http://dx.doi.org/10.1136/bcr-2020-239370>

Gutiérrez-Hellín, J., & Varillas-Delgado, D. (2021). Energy drinks and sports performance, cardiovascular risk, and genetic associations; future prospects. *Nutrients*, 13(3), 715.

<https://doi.org/10.3390/nu13030715>

Ioannidis, J. P. (2021a). Over-and under-estimation of COVID-19 deaths. *European Journal of Epidemiology*, 36, 581-588. <https://doi.org/10.1007/s10654-021-00787-9>

Ioannidis, J. P. (2021b). Reconciling estimates of global spread and infection fatality rates of COVID-19: An overview of systematic evaluations. *European Journal of Clinical Investigation*, 51(5), e13554. <https://doi.org/10.1111/eci.13554>

Kamijo, Y., Takai, M., Fujita, Y., & Usui, K. (2018). A retrospective study on the epidemiological and clinical features of emergency patients with large or massive consumption of caffeinated supplements or energy drinks in Japan. *Internal Medicine*, 57(15), 2141-2146. <https://doi.org/10.2169/internalmedicine.0333-17>

Kim, H., Park, J., Lee, S., Lee, S. A., & Park, E. C. (2020). Association between energy drink consumption, depression and suicide ideation in Korean adolescents. *International Journal of Social Psychiatry*, 66(4), 335-343.

<https://doi.org/10.1177/0020764020907946>

Kowalchuk, M., Palmieri, H., Conte, E., & Wallisch, P. (2021). Narcissism through the lens of performative self-elevation. *Personality and Individual Differences*, 177, 110780.

<https://doi.org/10.1016/j.paid.2021.110780>

Leal, W. E., & Jackson, D. B. (2018). Energy drinks and escalation in drug use severity: An emergent hazard to adolescent health. *Preventive Medicine*, 111, 391-396.

<https://doi.org/10.1016/j.ypmed.2017.11.033>

Lloyd, R.V., Osamura, R.Y., Kloppel, G., & Rosai, J. (Eds.). (2017). *WHO classification of tumours: Pathology and genetics of tumours of endocrine organs* (4th ed., Vol.10).

International Agency for Research on Cancer (IARC).

Masengo, L., Sampasa-Kanyinga, H., Chaput, J. P., Hamilton, H. A., & Colman, I. (2020).

Energy drink consumption, psychological distress, and suicidality among middle and high school students. *Journal of Affective Disorders*, 268, 102-108.

<https://doi.org/10.1016/j.jad.2020.03.004>

Maslach, C., & Jackson, S. E. (1981). The measurement of experienced burnout. *Journal of Organizational Behavior*, 2(2), 99-113. <https://doi.org/10.1002/job.4030020205>

McKetin, R., Coen, A., & Kaye, S. (2015). A comprehensive review of the effects of mixing caffeinated energy drinks with alcohol. *Drug and Alcohol Dependence*, 151, 15-30.

<https://doi.org/10.1016/j.drugalcdep.2015.01.047>

Ministry of Health, Labour and Welfare of Japan. (2021). *Kenko nippon 21 (Shintai katsudo undo)* [Healthy Japan 21 (Physical activity and exercise)].

https://www.mhlw.go.jp/www1/topics/kenko21_11/pdf/b2.pdf

Petrelli, F., Grappasonni, I., Evangelista, D., Pompei, P., Broglia, G., Cioffi, P., Kracmarova, L., & Scuri, S. (2018). Mental and physical effects of energy drinks consumption in an Italian young people group: a pilot study. *Journal of Preventive Medicine and Hygiene*, 59(1), E80. <https://doi.org/10.15167/2421-4248/jpmh2018.59.1.900>

Polack, F. P., Thomas, S. J., Kitchin, N., Absalon, J., Gurtman, A., Lockhart, S., Perez, J. L., Marc, G. P., Moreira, E. D., Zerbini, C., Bailey, R., Swanson, K. A., Roychoudhury, S., Koury, K., Li, P., Kalina, W.V., Cooper, D., Frenck, R.W., Jr., Hammitt, L.L., ... Gruber, W.C. (2020). Safety and efficacy of the BNT162b2 mRNA Covid-19 vaccine. *New England Journal of Medicine*, 383(27), 2603–2615.

<https://doi.org/10.1056/NEJMoa2034577>

Richards, G., & Smith, A. (2015). Caffeine consumption and self-assessed stress, anxiety, and depression in secondary school children. *Journal of Psychopharmacology*, 29(12), 1236-1247. <https://doi.org/10.1177/02698811155612404>

Svensson, Å., Warne, M., & Gillander Gådin, K. (2021). Longitudinal associations between energy drink consumption, health, and norm-breaking behavior among Swedish adolescents. *Frontiers in Public Health*, 9, 724.

<https://doi.org/10.3389/fpubh.2021.597613>

Tanaka, C., & Tanaka, S. (2012). Nihonjinkinrousha no nichijou no shintaikatsudouryou ni okeru ho-soukou igai no shintaikatudou no kiyo [Contribution of non-locomotive activity to habitual physical activity in Japanese workers]. *Japanese Journal of*

Physical Fitness and Sports Medicine, 61(4), 435-441.

<https://doi.org/10.7600/jspfsm.61.435>

Terry-McElrath, Y. M., O'Malley, P. M., & Johnston, L. D. (2014). Energy drinks, soft drinks, and substance use among United States secondary school students. *Journal of Addiction Medicine*, 8(1), 6-13. <https://doi.org/10.1097/01.ADM.0000435322.07020.53>

Utter, J., Denny, S., Teevale, T., & Sheridan, J. (2018). Energy drink consumption among New Zealand adolescents: Associations with mental health, health risk behaviours and body size. *Journal of Paediatrics and Child Health*, 54(3), 279-283.

<https://doi.org/10.1111/jpc.13708>

WHO Classification of Tumors Editorial Board. (Eds.). (2021). *Thoracic tumours: WHO classification of tumours* (5th ed.). International Agency for Research on Cancer (IARC).

LINC SCIENCE
ENGLISH FOR SCIENTISTS